


Flo Grommet F46

Foster+Partners, 2012

A light fitting in aluminium and steel, to be mounted on surfaces like desks, shelves, etc. with an arm pivoting on its base by 120°. Its head rotates by 300°. Lighting source is 6W-LED, which you can switch on with one click for full light intensity, with two clicks for half light intensity.

The maximum energy absorption is 8W.




TECHNICAL DATAS

Product Name (code)	Flo Grommet F46 (960)
Certificates	
Norms	EN 60-598-1 (CEI 34-21)
Light sources	1 x 6W-LED [3000K • 475lm]
Available	230V (Europe) - 120V (USA - Japan) - 240V (UK) <i>(fittings come with appropriate plug feeder)</i>
Insulation Class	III
Protection Class	IP20
Packaging	0,024m³ - 1,6Kg

COLOURS



FAMILY




Flo Grommet F20

Foster+Partners, 2012

A light fitting in aluminium and steel, to be mounted on surfaces like desks, shelves, etc. with an arm pivoting on its base by 120°. Its head rotates by 300°. Lighting source is 6W-LED, which you can switch on with one click for full light intensity, with two clicks for half light intensity.

The maximum energy absorption is 8W.




TECHNICAL DATAS

Product Name (code)	Flo Grommet F20 (962)
Certificates	
Norms	EN 60-598-1 (CEI 34-21)
Light sources	1 x 6W-LED [3000K • 475lm]
Available	230V (Europe) - 120V (USA - Japan) - 240V (UK) <i>(fittings come with appropriate plug feeder)</i>
Insulation Class	III
Protection Class	IP20
Packaging	0,024m³ - 1,6Kg

COLOURS



FAMILY




Flo Grommet for USM table

Foster+Partners, 2016


Light fitting in aluminium and steel especially designed for USM products, to be mounted on "Haller" or "Kitos" tables, or to be matched with USM adaptors. The arm pivots on its base by 120°, the head rotates by 300°.

Lighting source is 6W-LED, which you can switch with one click for full light intensity, with two clicks for half light intensity.

The maximum energy absorption is 8W.




USM Haller Table Plus/Advanced
USM Kitos Table Plus/Advanced
USM Adapter 17515




TECHNICAL DATAS

Product Name (code)	Flo Grommet for USM (954)
Certificates	
Norms	EN 60-598-1 (CEI 34-21)
Light sources	1 x 6W-LED [3000K • 475lm]
Available	230V (Europe) - 120V (USA - Japan) - 240V (UK) <i>(fittings come with appropriate plug feeder)</i>
Insulation Class	III
Protection Class	IP20
Packaging	0,024m³ - 1,6Kg

COLOURS




FAMILY




Flo Grommet L for USM table

Foster+Partners, 2016

Light fitting in aluminium and steel especially designed for USM products, to be mounted on "Haller" tables, thanks to a lamp peg. It comes with longer arms than the standard Flo Grommet (46 cm + 42 cm). The arm pivots on its base by 120°, the head rotates by 300°. Lighting source is 6W-LED, which you can switch with one click for full light intensity, with two clicks for half light intensity. The maximum energy absorption is 8W.




USM Haller Lamp peg shifted
for USM Haller Table 16233
USM Lamp peg 15065



TECHNICAL DATAS

Product Name (code)	Flo Grommet for USM/Large (956)
Certificates	
Norms	EN 60-598-1 (CEI 34-21)
Light sources	1 x 6W-LED [3000K • 475lm]
Available	230V (Europe) - 120V (USA - Japan) - 240V (UK) <i>(fittings come with appropriate plug feeder)</i>
Insulation Class	III
Protection Class	IP20
Packaging	0,024m³ - 1,6Kg

COLOURS



FAMILY

