


DOT 600

Foster+Partners , 2015

Suspended lamp for indirect lighting with a 20W LED source and diffused light optic system.
Aluminium structure with steel matt-painted reflector




TECHNICAL DATAS

Product Name (code)	DOT 600 (cod.130)
Certificates	
Norms	EN 60598-1 / EN55015 / UL 2108:2015 / CSA C22.2#9.0:1996
Light sources	23W LED [2700K / 3000K • 2350 lm]
Available	230V (Europe) - 120V (USA - Japan) - 240V (UK)
Insulation Class	I
Protection Class	IP20
Packaging	0,170 m³ - 10 Kg


COLOURS

			
Col. 01XO	Col. 03XO	Col. 50XO	Col. 51XO
Anodised black	Anodised red	Anodised brass	Anodised blue


FAMILY



DOT 600



DOT 800




DOT 1100

DOT 800

Foster+Partners , 2015

Suspended lamp for indirect lighting with a 40W LED source and diffused light optic system.
Aluminium structure with steel matt-painted reflector




TECHNICAL DATAS

Product Name (code)	DOT 800 (cod. 131)
Certificates	
Norms	EN 60598-1 / EN55015 / UL 2108:2015 / CSA C22.2#9.0:1996
Light sources	41W LED [2700K / 3000K • 3250 lm]
Available	230V (Europe) - 120V (USA - Japan) - 240V (UK)
Insulation Class	I
Protection Class	IP20
Packaging	0,298 m³ - 18 Kg


COLOURS

			
Col. 01XO	Col. 03XO	Col. 50XO	Col. 51XO
Anodised black	Anodised red	Anodised brass	Anodised blue


FAMILY



DOT 600



DOT 800




DOT 1100

DOT 1100

Foster+Partners , 2015

Suspended lamp for indirect lighting with a 60W LED source and diffused light optic system.
Aluminium structure with steel matt-painted reflector




TECHNICAL DATAS

Product Name (code)	DOT 1100 (cod. 132)
Certificates	
Norms	EN 60598-1 / EN55015 / UL 2108:2015 / CSA C22.2#9.0:1996
Light sources	55W LED [2700K / 3000K • 4750 lm]
Available	230V (Europe) - 120V (USA - Japan) - 240V (UK)
Insulation Class	I
Protection Class	IP20
Packaging	0,560 m³ - 25 Kg


COLOURS

			
Col. 01XO	Col. 03XO	Col. 50XO	Col. 51XO
Anodised black	Anodised red	Anodised brass	Anodised blue


FAMILY



DOT 600



DOT 800



DOT 1100