

# Product sheet Part 1

## RackPod folding desks

Model S, W/H/D: 160/72–76/79 cm

Model L, W/H/D: 180/72–76/90 cm


Model H, W/H/D: 160/108/79 cm

System 180 GmbH

Ernst-Augustin-Straße 3 · 12489 Berlin

Tel. +49 30 788 58 41

Fax +49 30 787 09 160



### Description

The range of tables in the RackPod series takes in a variety of sitting- and standing-height models especially designed and developed to meet the needs of formal and informal meetings and to support agile working methods

### Features

The range includes standalone tables at sitting height that can be fitted either with feet or with casters.

Alternatively, the range lets you choose standing-height tables on feet or casters to provide an arrangement suitable for flexible and active meetings.

### Packaging

For transport, the furniture is wrapped in a packaging foil with its table legs folded inwards. Tabletop edges and corners are protected with cardboard edge protectors.

### Assembly

The tables are shipped fully assembled.

### Service life

The product is extremely hardy when used as intended. The table models included in the RackPod series conform to the norms on strength, durability and safety contained in the DIN EN 15372: 2017-02 standard.

### Combination with other products

– n.a. –

### Design

Relatively easily movable sitting- or standing-height table in its basic rectangular form, W/H/D: 180/72-76/90 cm or 160/72-76/79 cm or 160/108/79 cm. Frame made of cylindrical tubing in brushed stainless or powder coated steel, 20x1 on adjustable feet or lockable rubberised furniture casters. Easy assembly and disassembly. The tabletop is a lightweight structural board, whose exterior is made chipboard surfaced in melamine resin, with a hardboard honeycomb core.

### Labelling

manufacturer's label

### Warning messages

The folding function should be used with care, taking account of the danger of fingers becoming trapped between component pieces. Always secure tables with casters from rolling by activating the locks on the casters! Unsecured furniture can pose a risk of injury.

# Product sheet Part 2

## RackPod folding desks

Model S, W/H/D: 160/72–76/79 cm

Model L, W/H/D: 180/72–76/90 cm

Model H, W/H/D: 160/108/79 cm

System 180 GmbH

Ernst-Augustin-Straße 3 · 12489 Berlin

Tel. +49 30 788 58 41

Fax +49 30 787 09 160

## Instructions for use

Easy, tool-free assembly and disassembly using two rotating knobs. Feet can be adjusted to a height of 72 to 76 cm. Brakes on the casters can be operated by foot.

**Please note:** Trying to move a piece of furniture while the brakes are on may result in a loss of function, excessive wear and in occasional damage to the brake mechanism.

## Care instructions

### Melamine-coated tabletops

The melamine-coated tabletops can be wiped with a soft, dry, lint-free cloth during regular cleaning. Never allow moisture (from glass rims, plant pots, etc.) soak into the surface or edges of the furniture.

Water-soluble soiling can be wiped away using a well-wrung out damp cloth. You can add a small amount of a mild cleaning agent to the water. Never use caustic or scouring cleaning agents! Wipe dry after cleaning.

### Stainless steel parts

Stainless steel surfaces should be cleaned using cleansing cloths, soft sponges or brushes with clean, hot water, with all-purpose cleaner containing no abrasive ingredients where necessary. Before drying, all traces of detergent should be carefully removed.

Particular types of staining (e.g. limescale residues) may be removed with acidic cleaning agents containing 10 % citric or acetic acid. Wipe all treated surfaces thoroughly to remove all residues .

**Please note:** The corrosion resistance of stainless steel may be reduced by light acids and halogen compounds (chlorides, bromides, iodides). For this reason, no cleaning agents containing strongly acidic salts should be used. Such substances include decalcifiers based on formic acid and amidosulfuric acid, drain cleaning agents, hydrochloric acid and silver cleaning agents. Do not use any chloride solutions, caustic or abrasive substances (scouring powder, steel wool), nor polishes, wax or bleaching agents.

To avoid extraneous rust, do not use either cleaning utensils made of non-stainless steel (spatulas, steel wool) or other items previously used to clean non-stainless steel should be used.

## Disposal

The piece can be fully dismantled at the end of its useful life. Its components can be separated according to their various recycling classes and sent for recycling according to their waste code number (German Waste Catalogue Ordinance, AVV).

- Frame, casters and small parts: 20 01 40 AVV (metals)
- Tabletop: 03 01 05 AVV (sawdust, chippings, off-cuts, wood, chipboard and veneers, with the exception of those included under 03 01 04).
- The piece may also be disposed of entirely intact as: 20 03 07 AVV (bulky waste).

# Technical datasheet

## RackPod folding desks

Model S, W/H/D: 160/72–76/79 cm

Model L, W/H/D: 180/72–76/90 cm

Model H, W/H/D: 160/108/79 cm

System 180 GmbH  
 Ernst-Augustin-Straße 3 · 12489 Berlin  
 Tel. +49 30 788 58 41  
 Fax +49 30 787 09 160

Material	Description	Value	Norm
Sandwich panel	Sturdy lightweight board, W980 SM melamine-coated on both sides, all-round 38-mm particle bar, all-round 2-mm edging in black smooth matt ABS with protective plastic foil, corner radius 2 mm		
	Formaldehyde emission class	E1	DIN EN 717-2, DIN EN 120
	Gross density 38mm	325 kg/m <sup>3</sup>	DIN EN 323
	Flexural strength after 28 days 38mm, test load 150kg/m <sup>2</sup> , distance from axis 1000 mm	≤ 4.0 mm	DIN 68874-1
	Tensile strength at right-angle	0.15 N/mm <sup>2</sup>	EN 319
	Compressive strength	≤ 1.5 kg/m <sup>2</sup>	CEN/TS 00112189:2012.2
	Thickness tolerance	+ - 0.3 mm	EN 324
Steel tubing	Ferritic corrosion-resistant stainless steel tubing 1.4509, brushed surface	Ø20x1 mm	DIN EN 10217-7
	Strength / Eddy current tested	6000 mm, -0/+20 mm	EN 10204
	Tolerance	D4/T3	EN 1127

The products included in the RackPod series conform to the norms on strength, durability and safety contained in the DIN EN 15372:2017-02 standard.