

# AMARCORD wall lamp

Matteo Ugolini design

year 2016

## DATA SHEET - AP121 1B INT

### BASE "A"

material  
colour concrete  
white



### DIFFUSER "B"

material  
colour glass  
transparent



### ELECTRICAL SYSTEM


socket E27  
source 1 x max 52W  
energy class from E to A++

### PACKAGING

n° cartons 2  
net weight/kg 2,2 (A+B)  
gross weight/kg 2,8 (A+B)  
packaging/cm 21x21x20 (A) - 24x24x39 (B)

### LIGHT EMISSION

unidirectional



direct  
filtered  
indirect  
absence

### COMPLIANT WITH

IEC 60598-1:2014  
EN 60598-1:2015




degree of protection IP20  
bulb optional




article **700P \***  
tungsten filaments  
E27 - 25/40W ≤60lumen  
class E

**\*these items are special,  
decorative bulbs not for  
illumination purposes**



### COLLECTION

also available table lamp version



# AMARCORD wall lamp

Matteo Ugolini design

year 2016

## DATA SHEET - AP121 1G INT


### BASE "A"

material  
colour concrete  
dove grey



### DIFFUSER "B"

material  
colour glass  
smoked



### ELECTRICAL SYSTEM


socket E27  
source 1 x max 52W  
energy class from E to A++

### PACKAGING

n° cartons 2  
net weight/kg 2,2 (A+B)  
gross weight/kg 2,8 (A+B)  
packaging/cm 21x21x20 (A) - 24x24x39 (B)

### LIGHT EMISSION

unidirectional



direct  
filtered  
indirect  
absence

### COMPLIANT WITH

IEC 60598-1:2014  
EN 60598-1:2015




degree of protection IP20  
bulb optional




article **700P \***  
tungsten filaments  
E27 - 25/40W ≤60lumen  
class E

**\*these items are special,  
decorative bulbs not for  
illumination purposes**



### COLLECTION

also available table lamp version



# AMARCORD wall lamp

Matteo Ugolini design

year 2018

## DATA SHEET - AP121 BF INT


### BASE "A"

material  
colour concrete  
white



### DIFFUSER "B"

material  
colour glass  
smoked



### ELECTRICAL SYSTEM


socket E27  
source 1 x max 52W  
energy class from E to A++

### PACKAGING

n° cartons 2  
net weight/kg 2,2 (A+B)  
gross weight/kg 2,8 (A+B)  
packaging/cm 21x21x20 (A) - 24x24x39 (B)

### LIGHT EMISSION

unidirectional



direct  
filtered  
indirect  
absence

### COMPLIANT WITH

IEC 60598-1:2014  
EN 60598-1:2015




degree of protection IP20  
bulb optional




article **700P \***  
tungsten filaments  
E27 - 25/40W ≤60lumen  
class E

**\*these items are special,  
decorative bulbs not for  
illumination purposes**



### COLLECTION

also available table lamp version



# AMARCORD wall lamp

Matteo Ugolini design

year 2018

## DATA SHEET - AP121 BS INT


### BASE "A"

material  
concrete  
colour  
white



### DIFFUSER "B"

material  
glass  
colour  
frosted  
transparent\*



### ELECTRICAL SYSTEM


socket  
E27  
source  
1 x max 52W  
energy class  
from E to A++

### PACKAGING

n° cartons  
2  
net weight/kg  
2,2 (A+B)  
gross weight/kg  
2,8 (A+B)  
packaging/cm  
21x21x20 (A) - 24x24x39 (B)

### LIGHT EMISSION


unidirectional



direct  
filtered  
indirect  
absence

### COMPLIANT WITH

IEC  
EN  
60598-1:2014  
60598-1:2015




degree of protection  
bulb  
IP20  
optional



article **700P\***  
tungsten filaments  
E27 - 25/40W ≤60lumen  
class E

**\*these items are special,  
decorative bulbs not for  
illumination purposes**



### COLLECTION

also available table lamp version



AP121 1B INT



AP121 BF INT



AP121 GT INT



AP121 1G INT



AP121 GS INT



# AMARCORD wall lamp

Matteo Ugolini design

year 2018

## DATA SHEET - AP121 GS INT


### BASE "A"

material  
colour concrete  
dove grey



### DIFFUSER "B"

material  
colour glass  
frosted  
transparent\*



### ELECTRICAL SYSTEM


socket E27  
source 1 x max 52W  
energy class from E to A++

### PACKAGING

n° cartons 2  
net weight/kg 2,2 (A+B)  
gross weight/kg 2,8 (A+B)  
packaging/cm 21x21x20 (A) - 24x24x39 (B)

### LIGHT EMISSION

unidirectional



direct  
filtered  
indirect  
absence

### COMPLIANT WITH

IEC 60598-1:2014  
EN 60598-1:2015




degree of protection IP20  
bulb optional




article **700P\***  
tungsten filaments  
E27 - 25/40W ≤60lumen  
class E

**\*these items are special,  
decorative bulbs not for  
illumination purposes**



### COLLECTION

also available table lamp version



# AMARCORD wall lamp

Matteo Ugolini design

year 2018

## DATA SHEET - AP121 GT INT

### BASE "A"

material  
colour concrete  
dove grey



### DIFFUSER "B"

material  
colour glass  
transparent

### ELECTRICAL SYSTEM


socket E27  
source 1 x max 52W  
energy class from E to A++

### PACKAGING

n° cartons 2  
net weight/kg 2,2 (A+B)  
gross weight/kg 2,8 (A+B)  
packaging/cm 21x21x20 (A) - 24x24x39 (B)

### LIGHT EMISSION

unidirectional



direct  
filtered  
indirect  
absence

### COMPLIANT WITH

IEC 60598-1:2014  
EN 60598-1:2015




degree of protection IP20  
bulb optional




article **700P \***  
tungsten filaments  
E27 - 25/40W ≤60lumen  
class E

**\*these items are special,  
decorative bulbs not for  
illumination purposes**



### COLLECTION

also available table lamp version



# AMARCORD table lamp

Matteo Ugolini design

year 2016

## DATA SHEET - CT121 1B INT

### BASE "A"

material  
concrete

colour  
white



### DIFFUSER "B"

material  
glass

colour  
transparent



### ELECTRICAL CABLE

colour  
transparent



### ELECTRICAL SYSTEM

socket  
E27

source  
1 x max 52W

energy class  
from E to A++

### PACKAGING

n° cartons  
2


net weight/kg  
1,9 (A+B)

gross weight/kg  
2,2 (A+B)

packaging/cm  
21x21x20(A) - 24x24x39(B)

### LIGHT EMISSION

unidirectional




direct

filtered

indirect

absence



### COMPLIANT WITH

IEC  
EN

60598-1:2014  
60598-1:2015



degree of protection  
bulb

IP20  
optional



article **700P\***  
tungsten filaments  
E27 - 25/40W ≤60lumen  
class E

**\*these items are special,  
decorative bulbs not for  
illumination purposes**

### COLLECTION

also available wall lamp version



CT121 BF INT



CT121 BS INT



CT121 GT INT



CT121 1G INT



CT121 GS INT

# AMARCORD table lamp


Matteo Ugolini design

year 2016

## DATA SHEET - CT121 1G INT


### BASE "A"

material  
colour concrete  
dove grey



### DIFFUSER "B"

material  
colour glass  
smoked



### ELECTRICAL CABLE

colour transparent



### ELECTRICAL SYSTEM


socket E27  
source 1 x max 52W  
energy class from E to A++

### PACKAGING


n° cartons 2  
net weight/kg 1,9 (A+B)  
gross weight/kg 2,2 (A+B)  
packaging/cm 21x21x20(A) - 24x24x39(B)

### LIGHT EMISSION

unidirectional



direct  
filtered  
indirect  
absence



### COMPLIANT WITH

IEC 60598-1:2014  
EN 60598-1:2015



degree of protection  
bulb IP20  
optional



article **700P\***  
tungsten filaments  
E27 - 25/40W ≤60lumen  
class E

**\*these items are special,  
decorative bulbs not for  
illumination purposes**

### COLLECTION

also available wall lamp version



CT121 1B INT



CT121 BF INT



CT121 BS INT



CT121 GT INT



CT121 GS INT

# AMARCORD table lamp

Matteo Ugolini design

year 2018

## DATA SHEET - CT121 BF INT

### BASE "A"

material  
concrete


colour  
white



### DIFFUSER "B"

material  
glass

colour  
smoked



### ELECTRICAL CABLE

colour  
transparent



### ELECTRICAL SYSTEM

socket  
E27

source  
1 x max 52W

energy class  
from E to A++

### PACKAGING

n° cartons  
2


net weight/kg  
1,9 (A+B)

gross weight/kg  
2,2 (A+B)

packaging/cm  
21x21x20(A) - 24x24x39(B)

### LIGHT EMISSION

unidirectional




direct

filtered

indirect

absence



### COMPLIANT WITH

IEC  
EN

60598-1:2014  
60598-1:2015



degree of protection  
bulb

IP20  
optional



article **700P\***  
tungsten filaments  
E27 - 25/40W ≤60lumen  
class E

**\*these items are special,  
decorative bulbs not for  
illumination purposes**

### COLLECTION

also available wall lamp version



CT121 1B INT



CT121 BS INT



CT121 GT INT



CT121 1G INT



CT121 GS INT

# AMARCORD table lamp

Matteo Ugolini design

year 2018

## DATA SHEET - CT121 BS INT

### BASE "A"

material concrete  
colour white



### DIFFUSER "B"

material glass  
colour frosted  
transparent\*



### ELECTRICAL CABLE

colour transparent



### ELECTRICAL SYSTEM


socket E27  
source 1 x max 52W  
energy class from E to A++

### PACKAGING

n° cartons 2  
net weight/kg 1,9 (A+B)  
gross weight/kg 2,2 (A+B)  
packaging/cm 21x21x20(A) - 24x24x39(B)

### LIGHT EMISSION

unidirectional



direct  
filtered  
indirect  
absence

### COMPLIANT WITH

IEC 60598-1:2014  
EN 60598-1:2015





degree of protection IP20  
bulb optional



article **700P\***  
tungsten filaments  
E27 - 25/40W ≤60lumen  
class E

**\*these items are special,  
decorative bulbs not for  
illumination purposes**



### COLLECTION

also available wall lamp version



CT121 1B INT



CT121 BF INT



CT121 GT INT



CT121 1G INT



CT121 GS INT



# AMARCORD table lamp

Matteo Ugolini design

year 2018

## DATA SHEET - CT121 GS INT

### BASE "A"

material  
colour concrete  
dove grey



### DIFFUSER "B"

material  
colour glass  
frosted  
transparent\*



### ELECTRICAL CABLE

colour transparent



### ELECTRICAL SYSTEM


socket E27  
source 1 x max 52W  
energy class from E to A++

### PACKAGING

n° cartons 2  
net weight/kg 1,9  
gross weight/kg 2,2  
packaging/cm 21x21x20(A) - 24x24x39(B)

### LIGHT EMISSION

unidirectional



direct  
filtered  
indirect  
absence

### COMPLIANT WITH

IEC 60598-1:2014  
EN 60598-1:2015





degree of protection  
bulb IP20  
optional



article **700P\***  
tungsten filaments  
E27 - 25/40W ≤60lumen  
class E

**\*these items are special,  
decorative bulbs not for  
illumination purposes**



### COLLECTION

also available wall lamp version



CT121 1B INT



CT121 BF INT



CT121 BS INT



CT121 GT INT



CT121 1G INT

# AMARCORD table lamp


Matteo Ugolini design

year 2018

## DATA SHEET - CT121 GT INT

### BASE "A"

material  
colour concrete  
dove grey



### DIFFUSER "B"

material  
colour glass  
transparent



### ELECTRICAL CABLE

colour transparent



### ELECTRICAL SYSTEM


socket E27  
source 1 x max 52W  
energy class from E to A++

### PACKAGING


n° cartons 2  
net weight/kg 1,9 (A+B)  
gross weight/kg 2,2 (A+B)  
packaging/cm 21x21x20(A) - 24x24x39(B)

### LIGHT EMISSION

unidirectional



direct  
filtered  
indirect  
absence



### COMPLIANT WITH

IEC 60598-1:2014  
EN 60598-1:2015



degree of protection  
bulb IP20  
optional



article **700P\***  
tungsten filaments  
E27 - 25/40W ≤60lumen  
class E

**\*these items are special,  
decorative bulbs not for  
illumination purposes**

### COLLECTION

also available wall lamp version



CT121 1B INT



CT121 BF INT



CT121 BS INT



CT121 1G INT



CT121 GS INT