

CELL suspension lamp

Matteo Ugolini design

year 2018

DATA SHEET - SE612 AM EXT


LAMP "A"

material steel inox
colour lacquered
glossy bronze



DIFFUSER "B"

material methacrylate
(PMMA)
colour white



ELECTRICAL CABLE "C"

colour black



SUSPENSION CABLE "F"

material steel

ACCESSORY CEILING CUP - SRO26 1N EXT

material galvanized metal
colour black


ELECTRICAL SYSTEM

socket E27
source 1 x max 23W
energy class from E to A++

PACKAGING

n° cartons 1
net weight/kg 3
gross weight/kg 5,3
packaging/cm 63x63x67

LIGHT EMISSION




 direct
 filtered
 indirect
 absence

COMPLIANT WITH

IEC 60598-1:2014
EN 60598-1:2015




degree of protection IP65
bulb equipped
1xE27 LED
10W, 900lumen - 2700K
class A+



COLLECTION

also available table/floor lamp version and white colour



CELL suspension lamp

Matteo Ugolini design

year 2018

DATA SHEET - SE612 AM INT

LAMP "A"

material stainless steel
colour lacquered
glossy bronze



LAMPSHADE "B"

material linen
colour white



ELECTRICAL CABLE "C"

colour transparent



SUSPENSION CABLE "F"

material steel


ELECTRICAL SYSTEM




socket E27
source 1 x max 52W
energy class from E to A++

PACKAGING

n° cartons 1
net weight/kg 2,4
gross weight/kg 4,7
packaging/cm 63x63x67

LIGHT EMISSION




 direct
 filtered
 indirect
 absence

COMPLIANT WITH

IEC 60598-1:2014
EN 60598-1:2015



degree of protection IP20
bulb not provided



COLLECTION

also available table/floor lamp version and white colour



SE612 AM EXT



SE613 BM INT



SE613 BM EXT



SE614 CM INT



SE615 DM INT



SE615 DM EXT


CELL suspension

Matteo Ugolini design


year 2012

TECHNICAL SHEET - SE612-EXT

STRUCTURE "A"

material	steel inox	
colour	white	

SHADE "B"

material	Pmma	
colour	white	

ELECTRICAL CABLE "C"

material	neoprene	
colour	green	

SUSPENSION CABLE "F"

material	steel	
----------	-------	--

ELECTRICAL SYSTEM


socket	E27
source	max 1x23w
energy class	from E to A++





PACKAGING

nr. of collis	1
net weight/kg	3
gross weight/kg	5,3
packaging/cm	63x63x67

EMISSION OF LIGHT

one-directional




	direct
	filtered
	indirect
	none

CERTIFICATION

IEC	60598-1:2008
EN	60598-1:2008 + A11:2009




IP rate	IP65
bulb	class A equipped



COLLECTION

available also as floor lamp




CELL suspension

Matteo Ugolini design


year 2009

TECHNICAL SHEET - SE612B

STRUCTURE "A"

material	steel inox	
colour	white	


SHADE "B"

material	linen	
colour	white	

CEILING CUP "E"

material	metal
colour	glossy white

ELECTRICAL CABLE "C"

material	PVC	
colour	transparent	

SUSPENSION CABLE "F"

material	steel
----------	-------

ELECTRICAL SYSTEM


socket	E27
source	max 1x70w
energy class	from E to A++





PACKAGING

nr. of collis	1
net weight/kg	2,4
gross weight/kg	4,7
packaging/cm	63x63x67

EMISSION OF LIGHT

one-directional




	direct
	filtered
	indirect
	none

CERTIFICATION

IEC	60598-1:2008
EN	60598-1:2008 + A11:2009




IP rate	IP20
bulb	not provided



COLLECTION

available also as floor lamp



CELL suspension lamp

Matteo Ugolini design

year 2018

DATA SHEET - SE613 BM EXT


LAMP "A"

material steel inox
colour lacquered
glossy bronze



DIFFUSER "B"

material methacrylate
(PMMA)
colour white



ELECTRICAL CABLE "C"

colour black



SUSPENSION CABLE "F"

material steel

ACCESSORY CEILING CUP - SRO26 1N EXT

material galvanized metal
colour black


ELECTRICAL SYSTEM


socket E27
source 1 x max 23W
energy class from E to A++

PACKAGING

n° cartons 1
net weight/kg 9
gross weight/kg 12
packaging/cm 94x94x94

LIGHT EMISSION




 direct
 filtered
 indirect
 absence

COMPLIANT WITH

IEC 60598-1:2014
EN 60598-1:2015




degree of protection IP65
bulb equipped
1xE27 LED
10W, 900lumen - 2700K
class A+



COLLECTION

also available suspension lamp version and in white color



CELL suspension lamp

Matteo Ugolini design

year 2018

DATA SHEET - SE613 BM INT

LAMP "A"

material stainless steel
colour lacquered glossy bronze



LAMPSHADE "B"

material linen
colour white



ELECTRICAL CABLE "C"

colour transparent



SUSPENSION CABLE "F"

material steel


ELECTRICAL SYSTEM

socket E27
source 1 x max 52W
energy class from E to A++

PACKAGING

n° cartons 1
net weight/kg 8,5
gross weight/kg 11,5
packaging/cm 94x94x94

LIGHT EMISSION




 direct
 filtered
 indirect
 absence

COMPLIANT WITH

IEC 60598-1:2014
EN 60598-1:2015




degree of protection IP20
bulb not provided



COLLECTION

also available table/floor lamp version and white colour




CELL suspension

Matteo Ugolini design


year 2012

TECHNICAL SHEET - SE613-EXT

STRUCTURE "A"

material	steel inox	
colour	white	

SHADE "B"

material	Pmma	
colour	white	

ELECTRICAL CABLE "C"

material	neoprene	
colour	green	

SUSPENSION CABLE "F"

material	steel	
----------	-------	--

ELECTRICAL SYSTEM

socket	E27
source	max 1x23w
energy class	from E to A++

PACKAGING

nr. of collis	1
net weight/kg	8,5
gross weight/kg	11,5
packaging/cm	94x94x94

EMISSION OF LIGHT

one-directional




CERTIFICATION

IEC	60598-1:2008
EN	60598-1:2008 + A11:2009




IP rate	IP65
bulb	class A equipped



COLLECTION

available also as floor lamp




CELL suspension

Matteo Ugolini design


year 2009

TECHNICAL SHEET - SE613B

STRUCTURE "A"

material	steel inox	
colour	white	


SHADE "B"

material	linen	
colour	white	

CEILING CUP "E"

material	metal	
colour	glossy white	

ELECTRICAL CABLE "C"

material	PVC	
colour	transparent	

SUSPENSION CABLE "F"

material	steel	
----------	-------	--

ELECTRICAL SYSTEM


socket	E27
source	max 1x70w
energy class	from E to A++





PACKAGING

nr. of collis	1
net weight/kg	8,5
gross weight/kg	11,5
packaging/cm	94x94x94

EMISSION OF LIGHT

one-directional




	direct
	filtered
	indirect
	none

CERTIFICATION

IEC	60598-1:2008
EN	60598-1:2008 + A11:2009




IP rate	IP20
bulb	not provided



COLLECTION

available also as floor lamp



CELL suspension lamp

Matteo Ugolini design

year 2018

DATA SHEET - SE614 CM INT

LAMP "A"

material stainless steel
colour lacquered
glossy bronze



LAMPSHADE "B"

material linen
colour white



ELECTRICAL CABLE "C"

colour transparent



SUSPENSION CABLE "F"

material steel


ELECTRICAL SYSTEM

socket E27
source 1 x max 42W
energy class from E to A++

PACKAGING

n° cartons 1
net weight/kg 2
gross weight/kg 2,9
packaging/cm 36x37x54

LIGHT EMISSION




 direct
 filtered
 indirect
 absence

COMPLIANT WITH

IEC 60598-1:2014
EN 60598-1:2015





degree of protection IP20
bulb not provided



COLLECTION

also available table/floor lamp version and white colour




CELL suspension

Matteo Ugolini design


year 2009

TECHNICAL SHEET - SE614B

STRUCTURE "A"

material	steel inox	
colour	white	


SHADE "B"

material	linen	
colour	white	

CEILING CUP "E"

material	metal	
colour	glossy white	

ELECTRICAL CABLE "C"

material	PVC	
colour	transparent	

SUSPENSION CABLE "F"

material	steel	
----------	-------	--

ELECTRICAL SYSTEM

socket	E27
source	max 1x42w
energy class	from E to A++

PACKAGING

nr. of collis	1
net weight/kg	2
gross weight/kg	2,9
packaging/cm	36x37x64

EMISSION OF LIGHT

one-directional




CERTIFICATION

IEC	60598-1:2008
EN	60598-1:2008 + A11:2009




IP rate	IP20
bulb	not provided



COLLECTION

available also as floor lamp



CELL suspension lamp

Matteo Ugolini design

year 2018

DATA SHEET - SE615 DM EXT


LAMP "A"

material steel inox
colour lacquered
glossy bronze



DIFFUSER "B"

material methacrylate
(PMMA)
colour white



ELECTRICAL CABLE "C"

colour black



SUSPENSION CABLE "C"

material steel

ACCESSORY CEILING CUP - SRO26 1N EXT

material galvanized metal
colour black


ELECTRICAL SYSTEM




socket E27
source 1 x max 23W
energy class from E to A++

PACKAGING

n° cartons 1
net weight/kg 5
gross weight/kg 7
packaging/cm 57x57x93

LIGHT EMISSION




 direct
 filtered
 indirect
 absence

COMPLIANT WITH

IEC 60598-1:2014
EN 60598-1:2015



degree of protection IP65
bulb equipped
1xE27 LED
10W, 900lumen - 2700K
class A+



COLLECTION

also available suspension lamp version and in white color



SE612 AM INT



SE612 AM EXT



SE613 BM INT



SE613 BM EXT



SE614 CM INT



SE615 DM INT

CELL suspension lamp

Matteo Ugolini design

year 2018

DATA SHEET - SE615 DM INT

LAMP "A"

material stainless steel
 colour lacquered
 glossy bronze



LAMPSHADE "B"

material linen
 colour white



ELECTRICAL CABLE "C"

colour transparent



SUSPENSION CABLE "F"

material steel


ELECTRICAL SYSTEM

socket E27
 source 1 x max 52W
 energy class from E to A++

PACKAGING

n° cartons 1
 net weight/kg 5
 gross weight/kg 7
 packaging/cm 57x57x93

LIGHT EMISSION




 direct
 filtered
 indirect
 absence

COMPLIANT WITH

IEC 60598-1:2014
 EN 60598-1:2015



degree of protection IP20
 bulb not provided



COLLECTION

also available table/floor lamp version and white colour



SE612 AM INT



SE612 AM EXT



SE613 BM INT



SE613 BM EXT



SE614 CM INT



SE615 DM EXT


CELL suspension

Matteo Ugolini design


year 2012

TECHNICAL SHEET - SE615-EXT


STRUCTURE "A"

material	steel inox	
colour	white	

SHADE "B"

material	Pmma	
colour	white	

ELECTRICAL CABLE "C"

material	neoprene	
colour	green	

SUSPENSION CABLE "F"

material	steel
----------	-------

ELECTRICAL SYSTEM


socket	E27
source	max 1x23w
energy class	from E to A++





PACKAGING

nr. of collis	1
net weight/kg	5
gross weight/kg	7
packaging/cm	57x57x93

EMISSION OF LIGHT

one-directional




	direct
	filtered
	indirect
	none

CERTIFICATION

IEC	60598-1:2008
EN	60598-1:2008 + A11:2009




IP rate	IP65
bulb	class A equipped



COLLECTION

available also as floor lamp




CELL suspension

Matteo Ugolini design


year 2009

TECHNICAL SHEET - SE615B

STRUCTURE "A"

material	steel inox	
colour	white	


SHADE "B"

material	linen	
colour	white	

CEILING CUP "E"

material	metal	
colour	glossy white	

ELECTRICAL CABLE "C"

material	PVC	
colour	transparent	

SUSPENSION CABLE "F"

material	steel	
----------	-------	--

ELECTRICAL SYSTEM

socket	E27
source	max 1x52w
energy class	from E to A++

PACKAGING

nr. of collis	1
net weight/kg	5
gross weight/kg	7
packaging/cm	57x57x93

EMISSION OF LIGHT

one-directional




CERTIFICATION

IEC	60598-1:2008
EN	60598-1:2008 + A11:2009



IP rate	IP20
bulb	not provided



COLLECTION

available also as floor lamp



SE614B