

MAKEUP suspension

Matteo Ugolini design

year 2016

TECHNICAL SHEET - SE123 1F INT


STRUCTURE "A"

material	glass frosted	
colour	smoked	

CEILING CUP "E"

material	metal
colour	matt black

ELECTRICAL CABLE "C"

material	PVC	
colour	black	

ELECTRICAL SYSTEM


source	LED 8,6w LED, 940 lumen, 3000 K°
energy class	from A to A++





PACKAGING

nr. of collis	1
net weight/kg	1
gross weight/kg	1,85
packaging/cm	25x25x32

EMISSION OF LIGHT

one-directional




	direct
	filtered
	indirect
	none

CERTIFICATION

IEC	60598-1:2014
EN	60598-1:2015




IP rate	IP20
bulb	Kit LED equipped



COLLECTION

available also as: wall lamp



MAKEUP suspension

Matteo Ugolini design

year 2016

TECHNICAL SHEET - SE123 1T INT


STRUCTURE "A"

material	glass frosted	
colour	transparent	

CEILING CUP "E"

material	metal
colour	matt black

ELECTRICAL CABLE "C"

material	PVC	
colour	black	

ELECTRICAL SYSTEM


source	LED 8,6w LED, 940 lumen, 3000 K°
energy class	from A to A++





PACKAGING

nr. of collis	1
net weight/kg	1
gross weight/kg	1,85
packaging/cm	25x25x32

EMISSION OF LIGHT

one-directional




	direct
	filtered
	indirect
	none

CERTIFICATION

IEC	60598-1:2014
EN	60598-1:2015




IP rate	IP20
bulb	Kit LED equipped



COLLECTION

available also as: wall lamp



MAKEUP suspension

Matteo Ugolini design

year 2016

TECHNICAL SHEET - SE123 2F INT

STRUCTURE "A"

material	glass	
colour	frosted smoked	

CEILING CUP "E"

material	metal
colour	matt black

ELECTRICAL CABLE "C"

material	PVC	
colour	black	

ELECTRICAL SYSTEM


source	LED 8,6w LED, 940 lumen, 3000 K°
energy class	from A to A++





PACKAGING

nr. of collis	1
net weight/kg	1
gross weight/kg	1,85
packaging/cm	25x25x32

EMISSION OF LIGHT

one-directional




	direct
	filtered
	indirect
	none

CERTIFICATION

IEC	60598-1:2014
EN	60598-1:2015




IP rate	IP20
bulb	Kit LED equipped



COLLECTION

available also as: wall lamp



MAKEUP suspension

Matteo Ugolini design

year 2016

TECHNICAL SHEET - SE123 2T INT

STRUCTURE "A"

material	glass frosted	
colour	transparent	

CEILING CUP "E"

material	metal
colour	matt black

ELECTRICAL CABLE "C"

material	PVC	
colour	black	

ELECTRICAL SYSTEM

source	LED 8,6w LED, 940 lumen, 3000 K°
energy class	from A to A++

PACKAGING

nr. of collis	1
net weight/kg	1
gross weight/kg	1,85
packaging/cm	25x25x32

EMISSION OF LIGHT

one-directional




CERTIFICATION

IEC 60598-1:2014
EN 60598-1:2015




IP rate IP20
bulb Kit LED equipped



COLLECTION

available also as: wall lamp



MAKEUP suspension

Matteo Ugolini design

year 2016

TECHNICAL SHEET - SE123 3F INT


STRUCTURE "A"

material	glass	
colour	frosted smoked	

CEILING CUP "E"

material	metal
colour	matt black

ELECTRICAL CABLE "C"

material	PVC	
colour	black	

ELECTRICAL SYSTEM


source	LED 8,6w LED, 940 lumen, 3000 K°
energy class	from A to A++





PACKAGING

nr. of collis	1
net weight/kg	1
gross weight/kg	1,85
packaging/cm	25x25x32

EMISSION OF LIGHT

one-directional




	direct
	filtered
	indirect
	none

CERTIFICATION

IEC	60598-1:2014
EN	60598-1:2015




IP rate	IP20
bulb	Kit LED equipped



COLLECTION

available also as: wall lamp



MAKEUP suspension

Matteo Ugolini design

year 2016

TECHNICAL SHEET - SE123 3T INT


STRUCTURE "A"

material	glass frosted	
colour	transparent	

CEILING CUP "E"

material	metal
colour	matt black

ELECTRICAL CABLE "C"

material	PVC	
colour	black	

ELECTRICAL SYSTEM


source	LED 8,6w LED, 940 lumen, 3000 K°
energy class	from A to A++





PACKAGING

nr. of collis	1
net weight/kg	1
gross weight/kg	1,85
packaging/cm	25x25x32

EMISSION OF LIGHT

one-directional




	direct
	filtered
	indirect
	none

CERTIFICATION

IEC	60598-1:2014
EN	60598-1:2015



IP rate	IP20
bulb	Kit LED equipped



COLLECTION

available also as: wall lamp

