

T-BLACK suspension lamp

Edmondo Testaguzza design

year 2018

DATA SHEET - SE150 AN INT

LAMP "A"

material	stoneware
outer colour	matt charcoal
inner colour	glossy white enamel



CEILING CUP "E"

material	metal
colour	matt black

ELECTRICAL CABLE "C"

colour	black fabric cable
--------	--------------------



ELECTRICAL SYSTEM


socket	E27
source	1 x max 53W
energy class	from E to A++

PACKAGING

n° cartons	1
net weight/kg	1,9
gross weight/kg	2,9
packaging/cm	34x34x45

LIGHT EMISSION

unidirectional




	direct
	filtered
	indirect
	absence

COMPLIANT WITH


IEC	60598-1:2014
EN	60598-1:2015



degree of protection	IP20
bulb	not provided



COLLECTION



SE150 BN INT SE150 CN INT

T-BLACK suspension lamp

Edmondo Testaguzza design

year 2018

DATA SHEET - SE150 BN INT

LAMP "A"

material	stoneware
outer colour	matt charcoal
inner colour	glossy white enamel



CEILING CUP "E"

material	metal
colour	matt black

ELECTRICAL CABLE "C"

colour	black fabric cable
--------	--------------------



ELECTRICAL SYSTEM


socket	E27
source	1 x max 53W
energy class	from E to A++

PACKAGING

n° cartons	1
net weight/kg	1,75
gross weight/kg	2,7
packaging/cm	42x42x33

LIGHT EMISSION

unidirectional




	direct
	filtered
	indirect
	absence

COMPLIANT WITH


IEC	60598-1:2014
EN	60598-1:2015



degree of protection	IP20
bulb	not provided



COLLECTION



SE150 AN INT SE150 CN INT

T-BLACK suspension lamp

Edmondo Testaguzza design

year 2018

DATA SHEET - SE150 CN INT

LAMP "A"

material	stoneware
outer colour	matt charcoal
inner colour	glossy white enamel



CEILING CUP "E"

material	metal
colour	matt black


ELECTRICAL CABLE "C"

colour	black fabric cable
--------	--------------------



ELECTRICAL SYSTEM

socket	E27
source	1 x max 70W
energy class	from E to A++




PACKAGING

n° cartons	1
net weight/kg	3
gross weight/kg	4,6
packaging/cm	51x51x40

LIGHT EMISSION

unidirectional



	direct
	filtered
	indirect
	absence

COMPLIANT WITH


IEC	60598-1:2014
EN	60598-1:2015



degree of protection	IP20
bulb	not provided



COLLECTION



SE150 AN INT SE150 BN INT