

# Y wall lamp

Lennart, Matteo Ugolini, Edmondo Testaguzza design

year 2020

## DATA SHEET - AP216N1 INT

### LAMP "A"

material aluminum  
colour matt black

### COVER

material PMMA  
colour frosted white

### ELECTRICAL SYSTEM


source strip LED 24V  
12W, 1660 lumen  
**3000K** CRI  $\geq$  80  
foot dimmer switch





### PACKAGING


n° cartons 1  
net weight/kg 1,3  
gross weight/kg 2,3  
packaging/cm 10x10x210

### LIGHT EMISSION

unidirectional



 direct  
 filtered  
 indirect  
 absence



### COMPLIANT WITH

IEC 60598-1:2014  
EN 60598-1:2015



degree of protection IP20  
LED equipped

### COLLECTION

also available 2700K version



AP216N3

# Y wall lamp

Lennart, Matteo Ugolini, Edmondo Testaguzza design

year 2020

## DATA SHEET - AP216N2 INT

### LAMP "A"

material aluminum  
colour matt black

### COVER

material PMMA  
colour frosted white

### ELECTRICAL SYSTEM

source strip LED 24V  
12W, 1660 lumen  
**2700K** CRI  $\geq$  80  
foot dimmer switch

### PACKAGING

n° cartons 1  
net weight/kg 1,3  
gross weight/kg 2,3  
packaging/cm 10x10x210

### LIGHT EMISSION

unidirectional




### COMPLIANT WITH

IEC 60598-1:2014  
EN 60598-1:2015



degree of protection IP20  
LED equipped



### COLLECTION

also available 3000K version



AP216N4

# Y wall lamp

Lennart, Matteo Ugolini, Edmondo Testaguzza design

year 2020

## DATA SHEET - AP216N3 INT

### LAMP "A"

material aluminum  
colour matt black

### COVER

material PMMA  
colour frosted white

### ELECTRICAL SYSTEM


source strip LED 24V  
12W, 1660 lumen  
**3000K** CRI  $\geq$  80  
foot dimmer switch



### PACKAGING


n° cartons 1  
net weight/kg 1,3  
gross weight/kg 2,3  
packaging/cm 10x10x210

### LIGHT EMISSION

unidirectional



 direct  
 filtered  
 indirect  
 absence



### COMPLIANT WITH


IEC 60598-1:2014  
EN 60598-1:2015



degree of protection IP20  
LED equipped

### COLLECTION

also available 2700K version



AP216N1

# Y wall lamp

Lennart, Matteo Ugolini, Edmondo Testaguzza design

year 2020

## DATA SHEET - AP216N4 INT

### LAMP "A"

material aluminum  
colour matt black

### COVER

material PMMA  
colour frosted white

### ELECTRICAL SYSTEM

source strip LED 24V  
12W, 1660 lumen  
**2700K** CRI  $\geq$  80  
foot dimmer switch

### PACKAGING

n° cartons 1  
net weight/kg 1,3  
gross weight/kg 2,3  
packaging/cm 10x10x210

### LIGHT EMISSION

unidirectional




### COMPLIANT WITH

IEC 60598-1:2014  
EN 60598-1:2015



degree of protection IP20  
LED equipped



### COLLECTION

also available 3000K version



AP216N2