


ALIBABIG suspension

Matteo Ugolini design


year 2012

TECHNICAL SHEET - SE616V-EXT

STRUCTURE "A"

material	fiberglass	
colour	painting white	

ELECTRICAL CABLE "C"

material	neoprene	
colour	green	

ELECTRICAL SYSTEM


socket	E27
source	max 2x23w
energy class	from E to A++





PACKAGING


nr. of collis	1
net weight/kg	5,1
gross weight/kg	10,5
packaging/cm	55x55x128

EMISSION OF LIGHT

one-directional



	direct
	filtered
	indirect
	none



CERTIFICATION


IEC	60598-1:2008
EN	60598-1:2008 + A11:2009



IP rate	IP65
bulb	class A equipped

COLLECTION

available also as floor lamp (indoor/outdoor)




ALIBABIG suspension

Matteo Ugolini design

year 2012

TECHNICAL SHEET - SE616V-INT


STRUCTURE "A"

material	fiberglass	
colour	painted white	

CEILING CUP "E"

material	metal
colour	matt white

ELECTRICAL CABLE "C"

material	PVC	
colour	transparent	

SUSPENSION CABLE "F"

material	steel
----------	-------

ELECTRICAL SYSTEM


socket	E27
source	max 1x105w (down) - max 1x42w (up)
energy class	from E to A++





PACKAGING

nr. of collis	1
net weight/kg	5,1
gross weight/kg	10,5
packaging/cm	55x55x126

EMISSION OF LIGHT

one-directional




	direct
	filtered
	indirect
	none

CERTIFICATION

IEC	60598-1:2008
EN	60598-1:2008 + A11:2009




IP rate	IP20
bulb	class A equipped



COLLECTION

available also as floor lamp (indoor/outdoor)




ALIBABIG suspension

Matteo Ugolini design


year 2012

TECHNICAL SHEET - SE617V-EXT

STRUCTURE "A"

material	fiberglass	
colour	painting white	

ELECTRICAL CABLE "C"

material	neoprene	
colour	green	

ELECTRICAL SYSTEM


socket	E27
source	max 2x23w
energy class	from E to A++





PACKAGING


nr. of collis	1
net weight/kg	5,6
gross weight/kg	10,1
packaging/cm	50x43x115

EMISSION OF LIGHT

one-directional



	direct
	filtered
	indirect
	none



CERTIFICATION


IEC	60598-1:2008
EN	60598-1:2008 + A11:2009



IP rate	IP65
bulb	class A equipped

COLLECTION

available also as floor lamp (indoor/outdoor)




ALIBABIG suspension

Matteo Ugolini design

year 2012

TECHNICAL SHEET - SE617V-INT


STRUCTURE "A"

material	fiberglass	
colour	white	

CEILING CUP "E"

material	metal
colour	Matt white

ELECTRICAL CABLE "C"

material	PVC	
colour	transparent	

SUSPENSION CABLE "F"

material	steel
----------	-------

ELECTRICAL SYSTEM


socket	E27
source	max 1x105w (down)
energy class	+ 1x42w (up) from E to A++





PACKAGING

nr. of collis	1
net weight/kg	5,6
gross weight/kg	10,1
packaging/cm	50x43x115

EMISSION OF LIGHT

one-directional




	direct
	filtered
	indirect
	none

CERTIFICATION

IEC	60598-1:2008
EN	60598-1:2008 + A11:2009



IP rate	IP20
bulb	class A equipped



COLLECTION

available also as floor lamp (indoor/outdoor)

