

Test EN581-1 / EN581-2

Attractive shapes and large dimensions characterise the Terramare sofa collection by Studio Chiaramonte/ Marin, designed to create cosy and personal settings both indoors and out. A complete range of furniture for dining and living areas. The main feature is the die-cast aluminium core, reminiscent of the most basic system that binds stalks of cane to one another, a unique detail. Tables and the elegant armchairs blend in with the essential lines, the style and the design of the sofas to create highly attractive dining areas. Terramare's material mix is original and innovative: eco-leather back with vintage details, aluminium and stoneware tops, colourful, water-repellent outdoor fabrics.



Description
Code: 729+C/729
Typology: Armchairs
Collection: Terramare


Static Load: 200 Kg

Cover: Yes

Cover Type: FC/729 Test: EN581-1 / EN581-2

Cushion Material: Acrylic fabric

Technical Info



Width: 94 cm Depth: 86 cm Height: 72 cm Weight: 19.80 Kg Static Load: 200 Kg Packaging

Packages: **2** Pieces for pack: **1**

Dimensions: 97x89x41 cm -

114x22x79 cm Volume: **0.553 mc**

Polyethylene bag and cardboard

box

Phone: +39 075 874021 / +39 075 8743903 aly E-mail: info@emu.it



Test EN581-1 / EN581-2

Colors

23 200/92

Matt White - White

41 200/93 Indian Brown - Brown 24 200/95 Black - Black

86 200/93 Corten - Brown 37 200/94 Grey/Green - Grey/Green

Phone: +39 075 874021 / +39 075 8743903

E-mail: info@emu.it



Test EN581-1 / EN581-2

Materials

Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

Eco-Leather

The eco-leather is made of compacted Nylon micro-fibre in polyurethane bath. It is then coated with polyurethane of the same colour.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

To ensure the long life of the eco-leather, use a mild detergent and soft cloth to clean it. Over time, eco-leather will acquire delicate signs of use that increase its beauty and give it greater depth and allure.

Cushion Material

Acrylic fabric

The 100% acrylic fabrics combined with a polyurethane internal coating. This step makes it water-repellent, highly resistant to UV rays for excellent outdoor performance.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

To ensure the long life of the eco-leather, use a mild detergent and soft cloth to clean it. Over time, eco-leather will acquire delicate signs of use that increase its beauty and give it greater depth and allure.

Phone: +39 075 874021 / +39 075 8743903 E-mail: info@emu.it

EMU Group S.p.A. Zona Industriale, 06055 Marsciano, Perugia, Italy



Test EN581-1 / EN581-2

Evitare il contatto prolungato con sostanze grasse e/o coloranti che potrebbero venire assorbite dal materiale di rivestimento e dare luogo a macchie permanenti, oltre che deteriorare la struttura del filato. In caso di utilizzo vicino al mare o piscine si consiglia un lavaggio periodico. Lavaggi frequenti: seguire le istruzioni specifiche per ogni materiale riportate sull'apposita etichetta. Utilizzare acqua e detergenti liquidi non abrasivi con PH neutro e incolori. Eventualmente lasciare agire il detergente alcuni minuti. Sciacquare abbondantemente con acqua a temperatura non superiore a 30°C. Nel caso di utilizzo di dispositivi a pressione, tenere la punta del diffusore ad una distanza di almeno 60/70 cm dalla superficie del manufatto. Se necessario ripetere l'operazione. Non utilizzare spugne abrasive per smacchiare e non trattare con candeggina e cloro.