
Xilema

adjustable

Edin Dedovic

2014

The Xilema consists of aluminium rods that intersect perpendicular to the wall. Able to offer powerful illumination directed upwards, this elegant light fitting bears a WallWasher topLED lights source and – thanks to the wall-mounted pin – can rotate 180° on its vertical axis. It is ideal for modern work environments. • **Aluminium body, PMMA diffuser. Finishes: white, polished aluminium.**

Le bras Xilema est une longue tige en aluminium, perpendiculaire au mur et capable d'un puissant éclairage vers le haut. Cette lampe élégante permet de monter une source topLED WallWasher et, grâce au pivot mural, peut pivoter de 180° sur son axe horizontal. Idéal pour les environnements de travail contemporains. • **Corps en aluminium, diffuseur en PMMA. Finitions : blanc, aluminium brillant.**

Xilema con brazo es una larga varilla de aluminio, perpendicular a la pared y capaz de ofrecer una potente iluminación dirigida hacia arriba. La elegante lámpara monta una fuente WallWasher topLED y, gracias al pasador de pared, puede girar 180° sobre su eje horizontal. Ideal para entornos operativos contemporáneos. • **Cuerpo en aluminio, difusor en PMMA. Acabados: blanco, aluminio brillante.**










1. Xilema adjustable



MOD	CODE	FINISH	SOURCE	INPUT	DIMMING	CCT (K)	LUMEN	CRI	IP	OPTICS
1	7775	WH	TopLED 25W	220-240V	Touch	3000	2914	90	20	Double asym.
	7776	AP	TopLED 25W	220-240V	Touch	3000	2914	90	20	Double asym.