

# ULULÀ suspension

Matteo Ugolini design

year 2013

## TECHNICAL SHEET - SE649GB

### STRUCTURE "A"

material	fiberglass/ lace	
colour	white	

### CEILING CUP "E"

material	metal
colour	matt white

### ELECTRICAL CABLE "C"

material	PVC
colour	transparent

### SUSPENSION CABLE "F"

material	steel
----------	-------

### ELECTRICAL SYSTEM

socket	E27
source	max 1x105w
energy class	from E to A++

### PACKAGING

nr. of collis	1
net weight/kg	8,5
gross weight/kg	15
packaging/cm	93x93x93

### EMISSION OF LIGHT

unidirectional




### CERTIFICATION

IEC	60598-1:2008
EN	60598-1:2008 + A11:2009




ip rate	IP20
bulb	class A equipped



### COLLECTION

available also as floor lamp (indoor and outdoor)




# ULULÀ suspension

Matteo Ugolini design

year 2013

## TECHNICAL SHEET - SE649GB-EXT

### STRUCTURE "A"

material	fiberglass/ lace	
colour	white	

### ELECTRICAL CABLE "C"

material	neoprene	
colour	green	

### SUSPENSION CABLE "F"

material	steel	
----------	-------	--

### ELECTRICAL SYSTEM


socket	E27
source	max 1x105w
energy class	from E to A++





### PACKAGING


nr. of collis	1
net weight/kg	8,5
gross weight/kg	15
packaging/cm	93x93x93

### EMISSION OF LIGHT

unidirectional



	direct
	filtered
	indirect
	none



### CERTIFICATION


IEC	60598-1:2008
EN	60598-1:2008 + A11:2009



ip rate	IP65
bulb	class A equipped

### COLLECTION

available also as floor lamp (indoor and outdoor)



# ULULÌ suspension

Matteo Ugolini design

year 2013

## TECHNICAL SHEET - SE648PB

### STRUCTURE "A"

material	fiberglass/ lace	
colour	white	

### CEILING CUP "E"

material	metal
colour	matt white

### ELECTRICAL CABLE "C"

material	PVC
colour	transparent

### SUSPENSION CABLE "F"

material	steel
----------	-------

### ELECTRICAL SYSTEM

socket	E27
source	max 1x70w
energy class	from E to A++

### PACKAGING

nr. of collis	1
net weight/kg	3,1
gross weight/kg	5,3
packaging/cm	50x50x70

### EMISSION OF LIGHT

unidirectional




### CERTIFICATION

IEC	60598-1:2008
EN	60598-1:2008 + A11:2009




ip rate	IP20
bulb	class A equipped



### COLLECTION

available also as floor lamp (indoor and outdoor)



# ULULÌ suspension

Matteo Ugolini design


year 2013

## TECHNICAL SHEET - SE648PB-EXT

### STRUCTURE "A"

material	fiberglass/ lace	
colour	white	

### ELECTRICAL CABLE "C"

material	neoprene	
colour	green	

### SUSPENSION CABLE "F"

material	steel	
----------	-------	--

### ELECTRICAL SYSTEM


socket	E27	
source	max 1x70w	
energy class	from E to A++	

### PACKAGING




nr. of collis	1	
net weight/kg	3,1	
gross weight/kg	5,3	
packaging/cm	50x50x70	

### EMISSION OF LIGHT

unidirectional



### CERTIFICATION

IEC	60598-1:2008		
EN	60598-1:2008 + A11:2009		
			
ip rate	IP65		
bulb	class A equipped		

### COLLECTION

available also as floor lamp (indoor and outdoor)

